







Reference Designator	Qty	Description	Val	Ref. Supplier	Outline
R29-R60	32	1% 0.25W 100ppm/ C General Purpose Thick Film Chip Resistor	100	R1206_100R_1%_0.25W_100PPM	1206
C8-C10,C15,C20-C23, C28-C29	10	10% 50V X7R SMD Multilayer Chip Ceramic Capacitor	100nF	CC0805_100NF_50V_10%_X7R	0805
C11-C14,C16-C19, C24-C27,C30-C33	16	10% 50V X7R SMD Multilayer Chip Ceramic Capacitor	2.2nF	CC0805_2.2NF_50V_10%_X7R	0805
R61-R65,R67-R69	8	1% 0.125W 100ppm/ C General Purpose Thick Film Chip Resistor	10k	R0805_10K_1%_0.125W_100PPM	0805



Reference Designator	Qty	Description	Val	Ref. Supplier	Outline
R28,R66	2	1% 0.125W 100ppm/ C General Purpose Thick Film Chip Resistor	750	R0805_750R_1%_0.125W_100PPM	0805
LD2-LD3	2	Surface Mount Green LED (0805 Case)	LGR971	LED_OSAM_LGR971	0805
W1-W8	8	20 Contacts Straight Strip Header Pitch 2.54mm L=7.5mm ``Mini-Wire-Wrap``		COMATEL_386.0334.1.20.440	
J4-J7	4	SMA 50 Ohm Straight Jack Receptacle - Surface Mount		JOHNSON_142-0711-201	



Reference Designator	Qty	Description	Val	Ref. Supplier	Outline
J3	1	50 (2x25) Position, 1.27mm Pitch, Surface Mount AMPMODU Male Connector		TYCO_5-104655-6	



BUREAU D'ETUDES EN/ICE/DEM



ORGANISATION EUROPEENNE POUR
LA RECHERCHE NUCLEAIRE
EUROPEAN ORGANISATION FOR NUCLEAR RESEARCH
GENEVE

Page 3 / 3

13/01/2010

EDA-02064-V1-0

BOTTOM